

## Table of contents

|                                                                                                            |    |
|------------------------------------------------------------------------------------------------------------|----|
| <b><u>Synthesis of chiral heterocycles through enantioselective scandium-catalyzed transformations</u></b> | 1  |
| <i>Hélène Pellissier</i>                                                                                   |    |
| 1. Introduction                                                                                            |    |
| 2. Synthesis of monocyclic heterocycles                                                                    |    |
| 2.1. Six-membered heterocycles                                                                             |    |
| 2.1.1. Oxygenated heterocycles                                                                             |    |
| 2.1.2. Nitrogenated heterocycles                                                                           |    |
| 2.1.3. Other heterocycles                                                                                  |    |
| 2.2. Five-membered nitrogenated heterocycles                                                               |    |
| 2.3. Seven-membered heterocycles                                                                           |    |
| 2.4. Other monocyclic heterocycles                                                                         |    |
| 3. Synthesis of bicyclic heterocycles                                                                      |    |
| 4. Conclusion                                                                                              |    |
| References                                                                                                 |    |
| <b><u>Synthesis of indolizino[8,7-<i>b</i>]indole bearing aromatic pyrrolic ring</u></b>                   | 20 |
| <i>Hai-Lei Cui</i>                                                                                         |    |
| 1. Introduction                                                                                            |    |
| 2. 1,3-Dipolar cycloaddition pathway                                                                       |    |
| 3. Electrocyclization pathway                                                                              |    |
| 4. C–H activation pathway                                                                                  |    |
| 5. Intramolecular substitution pathway                                                                     |    |
| 6. Intramolecular condensation pathway                                                                     |    |
| 7. Alkyne activation pathway                                                                               |    |
| 8. Pictet-Spengler-type multicomponent/one-pot reaction pathway                                            |    |
| 9. Dearomatization strategy                                                                                |    |
| 10. Conclusions                                                                                            |    |
| Acknowledgement                                                                                            |    |
| References                                                                                                 |    |
| <b><u>Kobayshis' aryne precursor: a reactive synthon for the synthesis of heterocycles</u></b>             | 50 |
| <i>Hemanta Hazarika, Lodsna Borkotoky, Pranjal Gogoi</i>                                                   |    |
| 1. Introduction                                                                                            |    |
| 2. Synthesis of heterocycles                                                                               |    |
| 2.1. Phenanthridiones                                                                                      |    |
| 2.2. Dihydrophenanthrenes                                                                                  |    |
| 2.3. Indoles                                                                                               |    |
| 2.4. Triazole fused polyaromatic skeleton                                                                  |    |
| 2.5. Benzothiazole                                                                                         |    |
| 2.6. SO <sub>2</sub> -Bridged 1,2-diaminobenzenes                                                          |    |
| 2.7. Diazepenes                                                                                            |    |
| 2.8. Carbazoles                                                                                            |    |
| 2.9. Oxindoles                                                                                             |    |
| 2.10. Quinolines                                                                                           |    |
| 2.11. <i>N</i> -heterocyclic frameworks                                                                    |    |
| 2.12. Acridones                                                                                            |    |
| 2.13. (–)-Quinocarcin                                                                                      |    |
| 2.14. (–)-Curvularin                                                                                       |    |
| 2.15. Dibenzophospholes                                                                                    |    |
| 2.16. Chromenes                                                                                            |    |

- 2.17. Coumarin derivatives
- 3. Conclusions
- References

### Application of dynamic kinetic resolution in the asymmetric synthesis of chiral heterocyclic scaffolds 79

*Xinyu Li, Lei Hu*

- 1. Introduction
- 2. Enzymatic DKR protocols
  - 2.1. Lipase- and protease-catalyzed DKR protocols
  - 2.2. Ketoreductase-catalyzed DKR protocols
- 3. Chemoenzymatic DKR protocols
- 4. Organocatalytic DKR protocols
- 5. Transition-metal complex-catalyzed DKR protocols
- 6. Other DKR strategies employed in the synthesis of enantioenriched heterocyclic compounds
- 7. Conclusion
- Acknowledgements
- References

### Dicationic ionic liquids (DILs)

102

*Luca Guglielmero, Andrea Mezzetta, Christian Silvio Pomelli, Lorenzo Guazzelli*

- 1. Introduction
- 2. Structures and synthesis of DILs
  - 2.1. Imidazolium based DILs
    - 2.1.1. Route a
    - 2.1.2. Route b
    - 2.1.3. Route c
  - 2.2. Pyridinium based DILs
    - 2.2.1. Route a
    - 2.2.2. Route b
    - 2.2.3. Route c
  - 2.3. 1,2,3- and 1,2,4-triazolium based DILs
    - 2.3.1. Route a<sub>(123)</sub> and route b<sub>(123)</sub>
    - 2.3.2. Route a<sub>(124)</sub> and route b<sub>(124)</sub>
  - 2.4. Pyrrolidinium and piperidinium based DILs
    - 2.4.1. Route a and route b
    - 2.4.2. Route c
  - 2.5. Asymmetrical DILs
  - 2.6. Anion exchange methods
- 3. Thermal stability of DILs
- 4. Computational studies
  - 4.1 DFT
  - 4.2 Molecular dynamics
- 5. Conclusion
- References

### Photochemical access to six-membered heterocycles

133

*Pijush Kanti Roy, Yutaka Hitomi*

- 1. Introduction
- 2. Photochemical synthesis of tetrahydroquinoline derivatives
  - 2.1 TiO<sub>2</sub>-Based photocatalytic systems
  - 2.2. Transition metal complex catalyzed photocyclizations
  - 2.3. Metal-free photocatalytic approaches

- 2.4. Electron donor-acceptor (EDA) complex-mediated reactions
- 3. Photochemical synthesis of sulfur-containing six-membered heterocycles
  - 3.1. Photocatalytic reactions involving thioanisole derivatives
  - 3.2. Generation and utilization of  $\alpha$ -thioalkyl radicals in photocatalytic cyclizations
- 4. Radical annulation using EDA complexes and novel photocatalysts
  - 4.1. Radical annulation mediated by electron donor-acceptor (EDA) complexes
  - 4.2. Novel photocatalytic materials: conjugated porous polymers (CPPs)
  - 4.3. Stiboviologen-based photocatalysts for radical annulation
- 5. Other photochemical cyclization methods for six-membered heterocycles
  - 5.1. Photochemical assembly of acridine derivatives *via* cascade annulation
  - 5.2. Emerging trends and alternative photochemical strategies
- 6. Conclusion and outlook
- References

### **Aza-oxy allyl cations: versatile synthons to access diverse N- heterocycles**

145

*Deeksha, Ritesh Singh*

- 1. Introduction
- 2. [3+2]-Cycloaddition reaction
- 3. [3+3]-Cycloaddition reaction
- 4. [3+4]-Cycloaddition reaction
- 5. Alkylation reaction
- 6. Arylation and vinylation
- 7. Conclusion
- Acknowledgement
- References

### **Gold(I)-catalyzed synthesis of benzoxazines and its impact on breast cancer**

166

*Rafael Ortíz-Alvarado, Luis A. Segura-Quezada, César R. Solorio-Alvarado*

- 1. Introduction
- 2. Gold(I)-catalyzed synthesis of 1,2-benzoxazines
- 3. Gold(I)-catalyzed synthesis of 1,3-benzoxazines
  - 3.1 Biological activity studies in breast cancer
- 4. Gold(I)-catalyzed synthesis of 1,4-benzoxazines
- 5. Conclusion
- Acknowledgement
- References

### **Heterocycles in the design of carbonic anhydrase inhibitors. Part 2**

184

*Niccolò Paoletti, Claudiu T. Supuran*

- 1. Introduction
- 2. Sulfamates and sulfamides
  - 2.1. Imidazoles
  - 2.2. Coumarin and its derivatives
  - 2.3. Adenosine/nucleosides
  - 2.4. Topiramate and its derivatives
  - 2.5. Glucosyl sulfonamides
- 3. Carboxylic acids
- 4. Dithio- and monothiocarbamates
  - 4.1.  $\beta$ -Carbonic anhydrases
- 5. Saccharin and its derivatives
  - 5.1. Acesulfame
  - 5.2. Benzothiadiazinone

- 5.3. Bacterial CAs
- 6. Oxazolidinediones-thiazolidinediones-hydantoins
- 7. Imidazole and triazole
- 8. Tiones
- 9. Benzoxaboroles
  - 9.1. Fungi and bacteria
- 10. Coumarins
- 11. Conclusion
- References

### **Strategic utilization of sulfonyl compounds as key precursors in heterocycle synthesis**

208

*Sauvik Kashyap, Prodeep Phukan*

- 1. Introduction
- 2. Synthesis of heterocycles from sulfonyl precursors
  - 2.1. From arylsulfonyl hydrazides
  - 2.2. From *N*-sulfonyl triazoles
  - 2.3. From arylsulfonyl azides
  - 2.4. From *N,N*-dibromoaryl sulfonamides
  - 2.5. From *N*-sulfonyl ketimines
  - 2.6. From ethylene sulfonyl fluorides
  - 2.7. Other sulfonyl precursors
- 3. Conclusion
- Acknowledgement
- References

### **Synthesis of fused pyran-containing compounds based on monoterpenes and their derivatives**

232

*Irina V. Ilyina, Konstantin P. Volcho, Nariman F. Salakhutdinov*

- 1. Introduction
- 2. Phloroglucinol derivatives: hetero Diels-Alder reactions
- 3. THC scaffold: alkylation/intramolecular heterocyclization
- 4. Reactions involving 2*H*-pyrans construction: formal [3+3]-cycloaddition reaction
- 5. Compounds with tetrahydropyran moiety: the Prins reaction
- 6. Conclusion
- Acknowledgement
- References

### **Xanthenes in medicinal chemistry: recent advances in synthesis and biological applications**

258

*Bidisha Rani Bora, Boonam Laskar, Partha Pratim Kaishap*

- 1. Introduction
- 2. Natural occurrence
- 3. Synthesis of xanthenes
  - 3.1. Metal-catalyzed synthesis of xanthenes
    - 3.1.1. Palladium-catalyzed synthesis of xanthenes
    - 3.1.2. Copper-catalyzed synthesis of xanthenes
    - 3.1.3. Rhodium-catalyzed synthesis of xanthenes
    - 3.1.4. Ruthenium-catalyzed synthesis of xanthenes
  - 3.2. Synthesis of xanthenes in absence of transition metals
- 4. Biological applications
  - 4.1. Cancer
  - 4.2. Diabetes
  - 4.3. Infectious diseases
  - 4.4. Inflammation

|                              |  |
|------------------------------|--|
| 4.5. Neurological disorders  |  |
| 4.6. Skincare and protection |  |
| 4.7. Biofouling              |  |
| 5. Conclusion                |  |
| Acknowledgement              |  |
| References                   |  |

### **Facile synthesis of substituted thiophenes and thiazoles via direct functionalization strategies**

294

*Zhuan Zhang, Zengxi Wei, Zequan Li, Shuangliang Zhao*

|                                    |  |
|------------------------------------|--|
| 1. Introduction                    |  |
| 2. Direct arylation                |  |
| 3. Direct alkylation               |  |
| 4. Direct alkenylation             |  |
| 5. Direct alkynylation             |  |
| 6. Other direct functionalizations |  |
| 7. Conclusion                      |  |
| Acknowledgement                    |  |
| References                         |  |

### **Recent advances in the synthesis of C3-functionalized imidazo[1,2-a]pyridines: state of the art**

320

*Mahsan Zargari, Melica Fakhrieh Kashan, Seyyed Emad Hooshmand, Fatemeh Moradkhani, Shubham Sharma, Morteza Shiri, Ahmed Al-Harrasi, Faiq H. S. Hussain*

|                                                     |  |
|-----------------------------------------------------|--|
| 1. Introduction                                     |  |
| 2. Alkylation of imidazopyridines                   |  |
| 3. Olefination of imidazopyridines                  |  |
| 4. Formylation of imidazopyridines                  |  |
| 5. Cyclization of imidazopyridines                  |  |
| 6. Alkynylation of imidazopyridines                 |  |
| 7. Acylation of imidazopyridines                    |  |
| 8. Cyanation of imidazopyridines                    |  |
| 9. Arylation of imidazopyridines                    |  |
| 10. C–heteroatom bond formation in imidazopyridines |  |
| 11 Nitrosylation of imidazopyridines                |  |
| 12 Alkoxy-carboxylation of imidazopyridines         |  |
| 13. Conclusion                                      |  |
| Acknowledgement                                     |  |
| References                                          |  |

### **Handy prebiotic chemistry for the synthesis of heterocyclic compounds**

342

*Bruno M. Bizzarri, Valentina Ubertini, Valentina Rendo, Eleonora Mancin, Raffaele Saladino*

|                                                              |  |
|--------------------------------------------------------------|--|
| 1. Introduction                                              |  |
| 1.1. What prebiotic chemistry is and what it cannot be       |  |
| 1.1.1. Prebiotic precursors                                  |  |
| 1.1.2. Energy source                                         |  |
| 1.1.3. The environmental context                             |  |
| 1.1.4. The reaction mode                                     |  |
| 2. Heterocycles from prebiotic chemistry of hydrogen cyanide |  |
| 2.1. Synthesis of purines                                    |  |
| 2.2. Synthesis of pyrimidines and pyrazines                  |  |
| 3. Heterocycles from prebiotic chemistry of formamide        |  |
| 3.1. Synthesis of purines and imidazoles                     |  |
| 3.2. Synthesis of pyrimidines and triazines                  |  |

4. Heterocycles from prebiotic chemistry of aminomalononitrile
    - 4.1. Purines and imidazoles
    - 4.2. Pyrazine, oxazoles and thiazoles
  5. Heterocycles from prebiotic chemistry of diaminomaleonitrile
    - 5.1. Purines and imidazole derivatives
    - 5.2. Pyrimidines, pyrazines and diazepine
  6. Conclusion
- Acknowledgement  
References

### **Mechanochemistry for the synthesis of heterocycles with unique photophysical properties**

361

*Mariana Peixoto, Marta Pineiro*

1. Introduction
  2. Coumarins
  3. Xanthenes
  4. Thiazole dyes
  5. Pyrroles and BODIPYs
  6. Naphthalimides
  7. Conclusions
- Acknowledgements  
References

### **Synthesis of marine tricyclic alkaloids**

378

*Haruhiko Fuwa, Shunta Nakao*

1. Introduction
  2. Synthesis of the tricyclic skeleton of cylindricines by Koley
  3. Total syntheses of (+)-cylindricine C and (–)-fasicularin by Sato and Chida
    - 3.1. Total synthesis of (+)-cylindricine C
    - 3.2. Total synthesis of (–)-fasicularin
  4. Formal syntheses of (–)-lepadiformines A and C and (–)-fasicularin by Takashima and Toyooka
  5. Total synthesis of (–)-lepadiformine A by Tokuyama
  6. Total synthesis of (±)-fasicularin and formal syntheses of (±)-lepadiformines A-C by Chiou
    - 6.1. Formal syntheses of (±)-lepadiformines A-C
    - 6.2. Total synthesis of (±)-fasicularin
  7. Total synthesis of (–)-cylindricine H by Amat
  8. Total synthesis of (+)-cylindricine C, D, and E by Huang
  9. Total synthesis of (±)-cylindricine C by Back
  10. Total synthesis of (–)-lepadiformine A, cylindricines A-J, and (–)-fasicularin by Fuwa
    - 10.1. Total synthesis of (–)-lepadiformine A
    - 10.2. Total synthesis of cylindricines A-J
    - 10.3. Total synthesis of (–)-fasicularin
  11. Total synthesis of (–)-lepadiformine A, (+)-cylindricine C, and (–)-fasicularin by Tang
  12. Conclusions
- Acknowledgement  
References

### **Catalytic approaches to access chiral silacyclic compounds**

405

*Yichen Wu, Dao-Ming Wang, Peng Wang*

1. Introduction
2. Construction of chiral silacycles *via* transition-metal catalysis
  - 2.1 Construction of chiral silacycles *via* transition-metal catalyzed enantioselective hydrosilylation
  - 2.2 Construction of chiral silacycles *via* transition-metal catalyzed enantioselective C–H silylation

- 2.3 Construction of chiral silacycles *via* transition-metal catalyzed C–Si bond activation process
- 2.4 Construction of chiral silacycles *via* transition-metal catalyzed enantioselective [2+2+2]-cycloaddition
- 2.5 Construction of chiral silacycles *via* other transition-metal catalytic approaches
- 3. Construction of chiral silacycles *via* organocatalysis
- 4. Conclusion
- Acknowledgement
- References

## **Halo-, epoxy- and acrylamides in domino reactions: stereoselective syntheses of polysubstituted aza-heterocycles** 431

*Sébastien Comesse*

- 1. Introduction
- 2. Biological interest of some targeted molecules
- 3.  $\alpha$ -Haloacetamides in domino reactions
  - 3.1. *N*-Alkyl-haloacetamides in reaction with malonate derivatives
  - 3.2. *N*-Alkyl-haloacetamides in reaction with Michael acceptors
  - 3.3. *N*-Alkoxy-haloacetamides in reaction with Michael acceptors
  - 3.4. Bromoethylcarbamates in reaction with Michael acceptors
  - 3.5. *N*-(2-Hydroxyethyl)-haloamides in domino reactions
- 4. Epoxyamides in domino reactions
- 5. Acrylamides in domino reactions
- 6. Conclusion
- Acknowledgement
- References

## **Recent advances in the synthesis of heterocyclic compounds by cyclization reactions involving CO<sub>2</sub>** 443

*Suthida Kaewsai, Valerio D'Elia*

- 1. Introduction
- 2. Reactions involving aliphatic substrates
- 3. Reactions involving aromatic substrates
- 4. Conclusions and outlook
- References

## **Applications of the Bestmann-Ohira reagent in the synthesis of heterocyclic compounds** 467

*Anuj Kumar, Narendra Kumar, Madhu Sharma, Shahnawaz Ali Bhat, Mohd Kamil Hussain, Shakir Ahamad*

- 1. Introduction
- 2. The Seyferth-Gilbert reagent
  - 2.1 Preparation of Seyferth-Gilbert reagent
- 3. The Bestmann-Ohira reagent
  - 3.1 Preparation of Bestmann-Ohira reagent
- 4. Synthesis of azaheterocycles using BOR
  - 4.1. Synthesis of pyrazoles and pyrazolines
  - 4.2. Synthesis of triazoles and triazolines
  - 4.3. Synthesis of oxazoles
  - 4.4. Synthesis of isoxazolidines
  - 4.5. Synthesis of fused and spiro heterocycles
- 5. Conclusion
- Acknowledgement
- References

**Photobiocatalytic access to lactone and lactam scaffolds**

484

*Elena Quadri, Stefano Protti, Maurizio Fagnoni, Davide Ravelli*

1. Introduction
2. Photobiocatalytic access to lactones
3. Photobiocatalytic access to lactams
4. Conclusion

Acknowledgement

References

**Nickel-catalyzed heterocycle synthesis *via* cascade reactions**

500

*Xiao-Yi Zhang, Xin-Li Zhang, Zi-Yu Sheng, Xu Tian\**

1. Introduction
2. Nickel-catalyzed arylation cyclization cascade reactions
  - 2.1. *Cis*- $\alpha$ -insertion
  - 2.2. *Cis*- $\beta$ -insertion
3. Nickel-catalyzed reductive arylation cyclization cascade reactions
4. Nickel-catalyzed carbon-heteroatom bonds formation cascade reactions
5. Nickel-catalyzed cycloaddition reactions
6. Conclusion

Acknowledgement

References

**Five-membered heterocyclic rings *via* Grubbs-type catalysts: a comprehensive review of synthetic strategies**

522

*Vaezeh Fathi Vavsari, Saeed Balalaie*

1. Introduction
2. Synthesis of five-membered heterocycles using Grubbs' catalysts
  - 2.1. Ring-closing metathesis strategy
  - 2.2. Ring-opening metathesis strategy
  - 2.3. Oxacycloisomerization strategy
  - 2.4. Enyne strategy
  - 2.5. Coupling reaction strategy
3. Conclusion

References

**Synthesis and functionalization of fused dithieno-heterocycles for the preparation of optoelectronic materials**

544

*Daniele Franchi, Matteo Bartolini, Elena Ermini, Lorenzo Baldini, Francesco D'Amico, Alessio Dessì*

1. Introduction
2. Dithieno[3,2-*b*:2',3'-*d*]pyrrole (DTP)
  - 2.1. Synthesis
  - 2.2. *N*-functionalization
  - 2.3. Functionalization in 2-position
  - 2.4. Functionalization in 3-position
3. Dithieno[3,2-*b*:2',3'-*d*]silole (DTS)
  - 3.1. Synthesis of DTS core
  - 3.2. Functionalization
4. Dithieno[3,2-*b*:2',3'-*d*]phospholes (DTPh) and its oxide
  - 4.1. Synthesis of the heterocyclic central cores
  - 4.2. Functionalization of the heterocyclic central cores
5. Dithieno[3,2-*b*:2',3'-*d*]thiophene (DTT)
  - 5.1. DTT Functionalization



6. Conclusions  
Acknowledgements  
References

**$\beta$ -Ketodithioesters as an expanding toolkit for organic synthesis: an update  
from 2014 to 2024**

571

*Maya Shankar Singh*

1. Introduction  
2. Synthesis of  $\beta$ -ketodithioesters  
3. Reactivity profile of  $\beta$ -ketodithioesters  
4. Functionalization of  $\beta$ -ketodithioesters  
5. Application of  $\beta$ -ketodithioesters in organic synthesis  
    5.1. Heterocyclization  
    5.2. One-pot approach  
6. Summary  
Acknowledgments  
References